

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

GCSE COMBINED SCIENCE: SYNERGY

F

Foundation Tier Paper 3 Physical Sciences

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a protractor
- a scientific calculator
- the periodic table (enclosed)
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



0 1

This question is about hydrocarbons.

0 1 . 1

Complete the sentence.

[1 mark]

Hydrocarbons are made from atoms of carbon and
atoms of _____ .

0 1 . 2

What is the maximum number of bonds that one carbon atom can form?

[1 mark]

Tick (✓) **one** box.

2 3 4 6

Question 1 continues on the next page

Turn over ►

Most of the compounds in crude oil are hydrocarbons.

0 1 . 3 Crude oil is the remains of an ancient biomass.

What did the ancient biomass mainly consist of?

[1 mark]

Tick (✓) **one** box.

Methane

Plankton

Rocks

0 1 . 4 Fractional distillation is used to separate the hydrocarbons in crude oil into fractions.

Which property of hydrocarbons is used to separate them?

[1 mark]

Tick (✓) **one** box.

Boiling point

Flammability

Viscosity

0 1 . 5 Name **one** fuel produced from the fractional distillation of crude oil.

[1 mark]



0 1 . 6 What are the **two** products of the complete combustion of a hydrocarbon?

[2 marks]

Tick (✓) **two** boxes.

Ammonia

Carbon dioxide

Nitrogen

Oxygen

Water

0 1 . 7 How does the size of the molecules affect the viscosity of hydrocarbons?

[1 mark]

Tick (✓) **one** box.

Smaller hydrocarbon molecules have greater viscosity.

The size of the hydrocarbon molecules does not affect the viscosity.

Larger hydrocarbon molecules have greater viscosity.

8

Turn over ►



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



0 2

This question is about acids and alkalis.

0 2 . 1

Which ion is produced by all acids in aqueous solution?

[1 mark]Tick (✓) **one** box.

Cl⁻ H⁺ Na⁺ OH⁻

0 2 . 2

The pH scale is a measure of the acidity or alkalinity of a solution.

What is used to measure the pH of a solution?

[1 mark]Tick (✓) **one** box.Iodine solution Limewater Universal indicator **0 2 . 3**Give **one** safety precaution used when measuring the pH of an acid.**[1 mark]**

Question 2 continues on the next page**Turn over ►**

Sodium hydroxide solution reacts with sulfuric acid to produce a salt and one other product.

0 2 . 4

Which salt is produced when sodium hydroxide solution reacts with sulfuric acid?

[1 mark]

Tick (✓) **one** box.

Sodium chloride

Sodium nitrate

Sodium sulfate

0 2 . 5

What is the other product when sodium hydroxide solution reacts with sulfuric acid?

[1 mark]

Tick (✓) **one** box.

Oxygen

Sodium

Water



0 2 . 6

Draw **one** line from each solution to the pH of that solution.**[2 marks]**

Solution	pH of solution
Sodium hydroxide	2
Sulfuric acid	7
	13

0 2 . 7

What is the type of reaction when sodium hydroxide solution reacts with sulfuric acid?

[1 mark]Tick (✓) **one** box.

- Combustion
- Decomposition
- Neutralisation

8**Turn over for the next question****Turn over ►**

0 3

A normal bicycle can be converted into an electric bicycle.


Figure 1 shows a converted bicycle.

Figure 1



Figure 2 shows the circuit diagram for the bicycle.

Figure 2



The circuit symbol for a motor is: (M)



0 3 . 1 The switch is used to turn the motor on or off.

The variable resistor is used to change the speed of the motor.

Complete the sentences.

Choose answers from the box.

[3 marks]

decreases	stays the same	increases
------------------	-----------------------	------------------

When the resistance of the variable resistor decreases, the potential difference across the battery _____ .

When the resistance of the variable resistor decreases, the current in the circuit _____ .

The speed of the motor increases when the resistance of the variable resistor _____ .

0 3 . 2 The potential difference across the motor is 36 V.

The power output of the motor is 252 W.

Calculate the current in the motor.

Use the equation:

$$\text{current} = \frac{\text{power}}{\text{potential difference}}$$

[2 marks]

Current = _____ A

Turn over ►



The bicycle battery can be recharged using the mains electricity supply.

A battery supplies direct current.

Mains electricity supplies alternating current.


0 3 . 3

Which graph shows an alternating current?


[1 mark]

Tick (✓) **one** box.


Current



Current



Current







0 3 . 4 A diode is used to change the alternating current to a direct current.


Which graph shows how the current in a diode varies with potential difference?

[1 mark]

Tick (✓) **one** box.







0 3 . 5 The mean charging current from the mains is 5.0 A for 7200 seconds.

Calculate the charge flow to the battery.

Use the equation:

$$\text{charge flow} = \text{current} \times \text{time}$$

Choose the unit from the box.

[3 marks]

amps	coulombs	ohms	volts
------	----------	------	-------

Charge flow = _____ Unit _____

Question 3 continues on the next page

Turn over ►



0 3 . 6

Calculate the work done in charging the battery when the power input is 1150 W for 7200 seconds.

Use the equation:

$$\text{work done} = \text{power} \times \text{time}$$

[2 marks]

Work done = _____ J


12

0 4

This question is about metals reacting with oxygen.

Calcium (Ca) reacts with oxygen (O₂) to produce calcium oxide (CaO).**0 4 . 1**

Balance the equation for the reaction.

[1 mark]**0 4 . 2**

40 g of calcium reacts completely with oxygen to produce 56 g of calcium oxide.

Calculate the maximum mass of calcium oxide that could be produced from 10 g of calcium.

[2 marks]


Mass of calcium oxide = _____ g

Question 4 continues on the next page**Turn over ►**

A student reacted different masses of magnesium with oxygen and measured the mass of magnesium oxide produced.

Figure 3 shows the results.

Figure 3



0 4 . 3

Why did the student ignore one of the points when drawing the line of best fit on **Figure 3**?

[1 mark]



0 4 . 4 What trend is shown by the results on **Figure 3**?

Complete the sentence.

[1 mark]

As the mass of magnesium increases _____

0 4 . 5 Predict the mass of magnesium oxide produced from 0.5 g of magnesium.

You should extend the line of best fit on **Figure 3**.

[2 marks]

Mass of magnesium oxide = _____ g

Question 4 continues on the next page

Turn over ►



A different student reacted copper with oxygen and measured the mass of copper oxide produced.

The student did repeat measurements for each mass of copper.

Table 1 shows the results when 0.42 g of copper was reacted.

Table 1

Mass of copper in grams	Mass of copper oxide produced in grams				
	Test 1	Test 2	Test 3	Test 4	Mean
0.42	0.51	0.47	0.48	0.50	X

0 4 . 6 Calculate mean value **X** in **Table 1**.

[2 marks]

Mean value **X** = _____ g






0 4 . 7

The reaction between copper and oxygen is exothermic.

Which reaction profile represents this reaction?

[1 mark]

Tick (✓) **one** box.

0 4 . 8

Complete the sentence.

[1 mark]

The minimum amount of energy that particles must have to react is called the _____ .

11

Turn over ►



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**




0 5

This question is about chemical processes.

Iron can be extracted from iron oxide using carbon.

The word equation for the reaction is:

**0 5 . 1**

Why can iron be extracted from iron oxide using carbon?

[1 mark]

Tick (✓) **one** box.

Iron is less reactive than carbon.

Iron has the same reactivity as carbon.

Iron is more reactive than carbon.

0 5 . 2

Which reactant is reduced?

[1 mark]

Tick (✓) **one** box.

Carbon

Carbon dioxide

Iron


Iron oxide

Question 5 continues on the next page

Turn over ►

Aluminium is manufactured by the electrolysis of a molten mixture of aluminium oxide and cryolite.

Figure 4 shows the apparatus.



0 5 . 3 What are the positive electrodes in **Figure 4** made of?

[1 mark]

Tick (✓) **one** box.

Aluminium

Carbon

Copper

Iron



0 5 . 4

Large amounts of energy are used in the extraction of aluminium from aluminium oxide.

Give **two** reasons why.

[2 marks]

1 _____

2 _____

0 5 . 5

Electrolysis is only possible when an ionic compound is molten or in aqueous solution.

Explain why.

You should refer to ions **and** charge in your answer.

[2 marks]

Question 5 continues on the next page

Turn over ►



An aqueous solution of copper chloride is electrolysed using inert electrodes.

0 5 . 6 What is meant by 'inert'?

[1 mark]

0 5 . 7 **Table 2** shows information about the products of the electrolysis of an aqueous solution of copper chloride.

Table 2

	Product at positive electrode	Product at negative electrode
Name of product	Chlorine	
State of product		Solid

Complete **Table 2**.

[2 marks]

10



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►




2 5

0 6

Figure 5 shows a person driving a bumper car at a theme park.

Figure 5



0 6 . 1

The mass of the bumper car and driver is 360 kg.

The bumper car moves with a speed of 1.50 m/s.

Calculate the kinetic energy of the bumper car and driver.

Use the equation:

$$\text{kinetic energy} = 0.5 \times \text{mass} \times (\text{speed})^2$$

[2 marks]

Kinetic energy = _____ J



Use the Physics Equations Sheet to answer questions **06.2** and **06.3**.

0 6 . 2

Write down the equation which links efficiency, total power input and useful power output.

[1 mark]

0 6 . 3

The motor of the bumper car has an efficiency of 0.80

The total power input to the motor is 220 W.

Calculate the useful power output of the motor.

[3 marks]

Useful power output = _____ W

0 6 . 4

The bumper car collides with a stationary barrier and stops.

What happens to the velocity of the bumper car during the collision?

[1 mark]

Question 6 continues on the next page

Turn over ►



0 6 . 5 Another bumper car slows down and stops to avoid a collision.

Complete the sentences.

Choose answers from the box.

[2 marks]

decreases

stays the same

increases

As the bumper car slows down, its kinetic
energy _____ .

As the bumper car slows down, the thermal energy of the
surroundings _____ .

9



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**


Turn over ►



0 7

Calcium carbonate reacts with hydrochloric acid.


The word equation for the reaction is:



A student investigated the effect of changing the surface area of the calcium carbonate on the rate of this reaction.

The student changed the surface area of the calcium carbonate by using different-sized lumps.

Figure 6 shows the apparatus.



The rate of reaction is determined by measuring the decrease in mass of the conical flask and contents at regular time intervals.

This is the method used.

1. Place a conical flask on a balance.
2. Add 50 cm³ of hydrochloric acid to the conical flask.
3. Add 2 g of small lumps of calcium carbonate to the hydrochloric acid.
4. Put cotton wool in the top of the conical flask.
5. Record the mass every 60 seconds until the mass remains constant.
6. Repeat steps 1 to 5 with 2 g of large lumps of calcium carbonate.



0 7 . 1

Why was cotton wool put in the top of the conical flask?

[1 mark]

Tick (✓) **one** box.

To slow down the reaction

To stop acid splashing out of the conical flask

To stop carbon dioxide gas escaping

0 7 . 2

What was the independent variable in this investigation?

[1 mark]

0 7 . 3

Give **one** control variable used in this investigation.

[1 mark]

Question 7 continues on the next page

Turn over ►



Table 3 shows some of the results.

Table 3

Size of calcium carbonate lumps	Decrease in mass after 60 seconds in grams
Small	0.09
Large	0.06

0 7 . 4 Calculate the mean rate of reaction from 0 to 60 seconds for the small lumps.

Use the equation:

$$\text{mean rate of reaction} = \frac{\text{decrease in mass}}{\text{time taken}}$$

Use **Table 3**.

[2 marks]

Mean rate of reaction = _____ g/s




0 7 . 5 Complete **Figure 7**.

You should:

- label the y-axis
- plot the data from **Table 3** as a bar chart
- label each bar.

[3 marks]

Figure 7



Size of calcium carbonate lumps

0 7 . 6 Why are the results plotted as a bar chart and **not** as a line graph?

[1 mark]

Question 7 continues on the next page

Turn over ►



Table 3 is repeated below.

Table 3

Size of calcium carbonate lumps	Decrease in mass after 60 seconds in grams
Small	0.09
Large	0.06

0 7 . 7

What effect does the size of the calcium carbonate lumps have on the **rate** of reaction?

Use **Table 3**.

[1 mark]

Tick (✓) **one** box.

Increasing the size of the lumps decreases the rate of reaction.


Increasing the size of the lumps does not affect the rate of reaction.

Increasing the size of the lumps increases the rate of reaction.



The surface area of a calcium carbonate lump can be estimated by comparing the lump with a cube.

Figure 8 shows a cube and a similar-sized calcium carbonate lump.



0 7 . 8 Calculate the total surface area of the cube in **Figure 8**.

Use the equation:

$$\text{total surface area of cube} = 6 \times \text{length of one side} \times \text{length of one side}$$

[2 marks]

Total surface area of cube = _____ cm²

0 7 . 9 Suggest **one** reason why the total surface area of the lump in **Figure 8** is estimated rather than measured.

[1 mark]

13

Turn over ►



0 8

This question is about structure and bonding.

0 8 . 1

Why can metals be shaped?

[1 mark]Tick (✓) **one** box.

Different-sized atoms distort the structure.

Layers of atoms slide over each other.

Metallic bonds are weak.

Metals have low melting points.

0 8 . 2


Explain how metals conduct electricity.

You should answer in terms of electrons.

[3 marks]



0 8 . 3 Figure 9 represents the structure of diamond and of sodium chloride.



Compare the structure and bonding of diamond with the structure and bonding of sodium chloride.

[6 marks]

Question 8 continues on the next page

Turn over ►



Ethene (C_2H_4) is a small molecule.

0 8 . 4

Calculate the relative formula mass (M_r) of ethene.

Relative atomic masses (A_r): C = 12 H = 1

[2 marks]

Relative formula mass = _____

0 8 . 5

Ethene molecules join together to form long-chain poly(ethene) molecules.

Explain why poly(ethene) has a higher melting point than ethene.

You should refer to the:

- size of the molecules
- intermolecular forces.

[3 marks]

15



Turn over for the next question

*Do not write
outside the
box*


**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



0 9

Figure 10 shows a boat on the sea.



The boat is travelling at a constant speed.

0 9 . 1

Draw an arrow on **Figure 10** to show the size and direction of the force of the water on the propeller.

[2 marks]

0 9 . 2

A quantity can be a scalar quantity or a vector quantity.

Identify which quantities are scalar quantities and which quantities are vector quantities.

[2 marks]

Tick (✓) **one** box in **each** row.

Quantity	Scalar	Vector
Speed		
Velocity		
Mass		
Weight		



0 9 . 3 Which equation links distance (s), speed (v) and time (t)?

[1 mark]

Tick (✓) **one** box.

$$s = \frac{v}{t} \quad \square$$

$$s = \frac{t}{v} \quad \square$$

$$v = \frac{s}{t} \quad \square$$

$$v = s \times t \quad \square$$

0 9 . 4 The speed of the boat is 12 m/s.

Calculate the time taken to travel 6000 m.

Use the Physics Equations Sheet.

[3 marks]

Time = _____ s

Question 9 continues on the next page

Turn over ►



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.



4 8



2 2 6 G 8 4 6 5 / 3 F

G/Jun22/8465/3F